

LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: LGHB 2

Unique Formula Identifier (UFI): M300-3039-H007-CU88

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lubricant.

1.3. Details of the supplier of the safety data sheet

| Supplier | |
|-----------|------------------------------|
| Company: | SKF MPT |
| Address: | Meidoornkade 14 |
| Zip code: | 3992 AE |
| City: | AE Houten |
| Country: | NETHERLANDS (KINGDOM OF THE) |
| E-mail: | support.mpt@skf.com |
| Phone: | +31 30 6307200 |
| Homepage: | www.skf.com |

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: Eye Irrit. 2;H319

Most serious harmful effects: Causes serious eye irritation. The product contains a substance which is a suspected reproductive hazard.



Safety Data Sheet LGHB 2 Replaces date: 21/02/2022 Revision date: 15/11/2023 Version: 2.5.0 2.2. Label elements **Pictograms** Signal word: Warning Contains Substance: Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts; Hazard statements H319 Causes serious eye irritation. **Precautionary statements** P280 Wear eye protection. Supplemental information

EUH208

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, C14-16-18 Alkyl Phenol. May produce an allergic reaction.

2.3. Other hazards

The product does not contain any PBT or vPvB substances. Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Substance | CAS No./ EC No./ REACH Reg. No. | Concentration | Notes | CLP-classification |
|--|---|---------------|-------|--|
| Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | 68584-23-6 271-529-4 01-2119492627-25 | ≤ 10 % | | Skin Sens. 1B;H317 C ≥ 10%: Skin Sens. 1B;H317 LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | 70024-69-0 274-263-7 01-2119492616-28 | ≤ 5 % | | Skin Sens. 1B;H317 LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l LD50 (Acute toxicity - oral): > 5000 mg/kg bw LD50 (Acute toxicity - dermal): > 5000 mg/kg bw |
| Sulfonic acids, petroleum, calcium salts | 61789-86-4 263-093-9 01-2119488992-18 | ≤ 5 % | | Skin Sens. 1;H317 C ≥ 10%: Skin Sens. 1;H317 LD50 (Acute toxicity - oral): > 16000 mg/kg bw LD50 (Acute toxicity - dermal): > 4000 mg/kg bw LC50 (dust/mist) (Acute toxicity - inhalation): > 1.9 mg/l |



Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

| | | | Version: 2.5.0 |
|--|---|---------|---|
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | 1335202-81-7 932-231-6 01-2119560592-37 | < 3 % | Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412 LD50 (Acute toxicity - oral): 4445 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw |
| Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene | 68411-46-1 270-128-1 01-2119491299-23 | < 3 % | Repr. 2;H361f LD50 (Acute toxicity - oral): > 5000 mg/kg bw |
| C14-16-18 Alkyl Phenol | 1190625-94-5 931-468-2 01-2119498288-19 | ≤ 0.3 % | Skin Sens. 1B;H317 STOT RE 2;H373 LD50 (Acute toxicity - oral): > 2000 mg/kg bw LD50 (Acute toxicity - dermal): > 2000 mg/kg bw |

Please see section 16 for the full text of H- / EUH-phrases.

Ingredient comments:

The mineral oils in the product contain <3% DMSO extract(IP 346).

SECTION 4: First aid measures

| 4.1. Description | of first aid | measures |
|------------------|--------------|----------|
|------------------|--------------|----------|

| Inhalation: | Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice in case of persistent discomfort. |
|---------------|--|
| Ingestion: | Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort. |
| Skin contact: | Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort. |
| Eye contact: | Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice. |
| General: | When obtaining medical advice, show the safety data sheet or label. |

4.2. Most important symptoms and effects, both acute and delayed

Irritating to eyes. Causes a burning sensation and tearing. The product contains small amounts of Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product. The product contains at least one substance which may impair fertility or the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| Suitable extinguishing media: | Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock. |
|---------------------------------|--|
| Unsuitable extinguishing media: | Do not use water stream, as it may spread the fire. |

5.2. Special hazards arising from the substance or mixture



LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

Not flammable, but combustible. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Nitrous gases/ Sulphur oxides.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stay upwind/keep distance from source. Wear gloves. Wear safety goggles. Provide good ventilation.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Wipe up minor spills with a damp cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Keep in tightly closed original packaging. Store in a dry area. Avoid direct sunlight.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| PNEC | | | | |
|------------------------------|---|--|--|--|
| Legal basis: | EH40/2005 Workplace exposure limits. Last amended January 2020. | | | |
| Measuring methods: | Compliance with occupational exposure limits may be checked by occupational hygiene measurements. | | | |
| Occupational exposure limit: | Contains no substances subject to reporting requirements. | | | |



LGHB 2

| Replaces date: 21/02/2022 | | | | Revision date: 15/11/2023 Version: 2.5.0 |
|--|-----------------------------|----------------------------|----------------------|---|
| Benzenesulfonic acid, C1 | 0-16-alkyl derivs., calcium | n salts, cas-no 68584-23- | 6 | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 868700000 mg/kg dw | | | |
| PNEC STP (wastewater- treatment facilities) | 100 mg/l | | | |
| Benzenesulfonic acid, mo | ono-C16-24-alkyl derivs., o | calcium salts, cas-no 7002 | 24-69-0 | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 271000000 mg/kg dw | | | |
| PNEC STP (wastewater- treatment facilities) | 100 mg/l | | | |
| Sulfonic acids, petroleum | , calcium salts, cas-no 61 | 789-86-4 | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 1 mg/l | | | |
| PNEC aqua (marine water) | 1 mg/l | | | |
| PNEC sediment (freshwater) | 226000000 mg/kg dw | | | |
| PNEC sediment (marine water) | 226000000 mg/kg dw | | | |
| PNEC soil | 271000000 mg/kg dw | | | |
| PNEC STP (wastewater- treatment facilities) | 1000 mg/l | | | |
| Benzenesulfonic acid, C1 | 0-13-alkyl derivs., calcium | n salts, cas-no 1335202-8 | 1-7 | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 23 µg/l | | | |
| PNEC aqua (marine water) | 2,3 µg/l | | | |
| PNEC STP (wastewater- treatment facilities) | 3 mg/l | | | |
| PNEC sediment (freshwater) | 174 µg/kg dw | | | |
| PNEC sediment (marine water) | 17,4 µg/kg dw | | | |
| PNEC soil | 620 µg/kg dw | | | |
| Benzenamine, N-phenyl- | , reaction products with 2, | 4,4-trimethylpentene, cas | -no 68411-46-1 | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |



LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

| | | | | Version: 2.5.0 |
|--|---------------------|-------------------|----------------------|----------------|
| PNEC aqua (marine water) | 3,38 µg/l | | | |
| PNEC sediment (freshwater) | 446 µg/kg dw | | | |
| PNEC sediment (marine water) | 44,6 µg/kg dw | | | |
| PNEC soil | 1,76 mg/kg | | | |
| PNEC aqua (freshwater) | 33,8 µg/l | | | |
| C14-16-18 Alkyl Phenol, | cas-no 1190625-94-5 | | | |
| Exposure | Value | Assessment Factor | Extrapolation Method | Note |
| PNEC aqua (freshwater) | 0,100 mg/l | | | |
| PNEC aqua (marine water) | 0,010 mg/l | | | |
| PNEC sediment (freshwater) | 4266,16 mg/kg dw | | | |
| PNEC sediment (marine water) | 426,62 mg/kg dw | | | |
| PNEC soil | 852,58 mg/kg dw | | | |
| PNEC STP (wastewater- treatment facilities) | 100 mg/l | | | |

DNEL - workers

| Benzenesulfonic acid | Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6 | | | | | |
|---|--|-------------------------|-------------------|--------------------------|------|--|
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note | |
| Dermal DNEL (long- term exposure - systemic effects) | 3,33 mg/kg bw/day | | | | | |
| Dermal DNEL (long- term exposure - local effects) | 1,03 mg/cm² | | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m³ | | | | | |
| Benzenesulfonic acid | d, mono-C16-24-alkyl | derivs., calcium salts, | cas-no 70024-69-0 | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note | |
| Dermal DNEL (long- term exposure - systemic effects) | 3,33 mg/kg | | | | | |
| Dermal DNEL (long- term exposure - local effects) | 1,03 mg/cm² | | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m³ | | | | | |
| Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4 | | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note | |
| Dermal DNEL (long- term exposure - systemic effects) | 3,33 mg/kg | | | | | |



| | | Safety Da | ata Sheet | | |
|---|-------------------------|--------------------------|----------------------|--------------------------|---|
| | | LGH | IB 2 | | |
| Replaces date: 21/02/20 |)22 | | | | Revision date: 15/11/2023 Version: 2.5.0 |
| Dermal DNEL (long- term exposure - local effects) | 1,03 mg/cm² | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 11,75 mg/m³ | | | | |
| Benzenesulfonic acid | d, C10-13-alkyl derivs | ., calcium salts, cas-n | o 1335202-81-7 | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long- term exposure - systemic effects) | 1,7 mg/kg bw/day | | | | |
| Benzenamine, N-phe | enyl-, reaction product | ts with 2,4,4-trimethylp | pentene, cas-no 6841 | 1-46-1 | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long- term exposure - systemic effects) | 0,08 mg/kg bw/day | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 0,6 mg/m³ | | | | |
| C14-16-18 Alkyl Phe | nol, cas-no 1190625- | 94-5 | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Inhalation DNEL (long-term exposure - systemic effects) | 1,17 mg/m³ | | | | |
| Dermal DNEL (long- term exposure - systemic effects) | 0,30 mg/kg bw/day | | | | |

DNEL - general population

| Benzenesulfonic acid | Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6 | | | | | |
|---|---|-------------------|-----------------|--------------------------|------|--|
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note | |
| Oral DNEL (long- term exposure - systemic effects) | 0,8333 mg/kg bw/day | | | | | |
| Dermal DNEL (long- term exposure - local effects) | 0,513 mg/cm² | | | | | |
| Dermal DNEL (long- term exposure - systemic effects) | 1,667 mg/kg bw/day | | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m³ | | | | | |
| Benzenesulfonic acid | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 | | | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note | |
| Dermal DNEL (long- term exposure - systemic effects) | 1,667 mg/kg bw/day | | | | | |



| | | Safety Da | ata Sheet | | |
|---|--------------------------|-------------------------|----------------------|--------------------------|---|
| | | LGF | IB 2 | | |
| Replaces date: 21/02/20 | 022 | | | | Revision date: 15/11/2023 Version: 2.5.0 |
| Oral DNEL (long- term exposure - systemic effects) | 0,8333 mg/kg bw/day | | | | |
| Dermal DNEL (long- term exposure - local effects) | 0,513 mg/cm ² | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m³ | | | | |
| Sulfonic acids, petrol | leum, calcium salts, ca | as-no 61789-86-4 | | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Oral DNEL (long- term exposure - systemic effects) | 0,8333 mg/kg | | | | |
| Dermal DNEL (long- term exposure - systemic effects) | 1,667 mg/kg | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 2,9 mg/m³ | | | | |
| Dermal DNEL (long- term exposure - local effects) | 0,513 mg/cm² | | | | |
| Benzenesulfonic acid | d, C10-13-alkyl derivs | , calcium salts, cas-ne | o 1335202-81-7 | | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long- term exposure - systemic effects) | 85 mg/kg bw/day | | | | |
| Oral DNEL (acute/short-term exposure - systemic effects) | 89 mg/kg bw/day | | | | |
| Benzenamine, N-phe | enyl-, reaction product | s with 2,4,4-trimethylp | pentene, cas-no 6841 | 1-46-1 | |
| Exposure | Value | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Oral DNEL (long- term exposure - systemic effects) | 0,04 mg/kg bw/day | | | | |
| Dermal DNEL (long- term exposure - systemic effects) | 0,04 mg/kg bw/day | | | | |
| Inhalation DNEL (long-term exposure - systemic effects) | 0,14 mg/m³ | | | | |

8.2. Exposure controls

controls:

Use the product under well-ventilated conditions, preferably outdoors. Wear the personal Appropriate engineering protective equipment specified below.

Personal protective equipment, Wear safety goggles. Eye protection must conform to EN 166. eye/face protection:



| | Safety Data Sheet | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | |
| | LGHB 2 | | | | | | | | | |
| Replaces date: 21/02/2022 | Revision date: 15/11/2023 Version: 2.5.0 | | | | | | | | | |
| Personal protective equipment, hand protection: | In the event of direct skin contact, wear protective gloves: Type of material and thickness: Nitrile rubber. 0,38 mm. Penetration time: >8 hours. Gloves must conform to EN 374. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier. | | | | | | | | | |
| Personal protective equipment, respiratory protection: | Use process ventilation. If this is not possible, use respiratory equipment. Filter type: A. P. Respiratory protection must conform to one of the following standards: EN 136/140/145. | | | | | | | | | |
| Environmental exposure controls: | Ensure compliance with local regulations for emissions. | | | | | | | | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Parameter | | Value/unit |
|---|----------------------------|-----------------------|
| State | Solid substance | |
| Colour | Brown | |
| Odour | Characteristic | |
| Solubility | Insoluble in the following | g: Water. |
| Parameter | Value/unit | Remarks |
| Odour threshold | No data | |
| Melting point | > 300 °C | (EN ISO 3016) |
| Freezing point | No data | |
| Initial boiling point and boiling range | No data | |
| Flammability (solid, gas) | No data | |
| Flammability limits | No data | |
| Explosion limits | No data | |
| Flash Point | No data | |
| Auto-ignition temperature | No data | |
| Decomposition temperature | > 300 °C | |
| pH (solution for use) | No data | |
| pH (concentrate) | No data | |
| Kinematic viscosity | No data | |
| Viscosity | No data | |
| Partition coefficient n-octonol/water | > 3.5 | |
| Vapour pressure | No data | |
| Density | 0.9 g/cm ³ | (20 °C) (ASTM D 4052) |
| Relative density | 0.9 | (ASTM D 4052) |
| Vapour density | No data | |
| Relative density (sat. air) | No data | |
| Particle characteristics | No data | |

9.2. Other information

| Parameter | | Value/unit | Remarks |
|--------------------|-------|------------|---------|
| Other Information: | None. | | |

SECTION 10: Stability and reactivity

10.1. Reactivity



LGHB 2

Replaces date: 21/02/2022

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Nitrous gases/ Sulphur oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source | | | | |
|---|--|---------------|-----------------|------------|-------------|--------|--|--|--|--|
| Rat | LD50 | | > 5000 mg/kg bw | | OECD 401 | | | | | |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 | | | | | | | | | | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source | | | | |
| Rat | LD50 | | > 5000 mg/kg bw | | OECD 401 | | | | | |
| Sulfania aaida | Sulfania saida natrolaum aslaium aslta asa na 61790.96 4 | | | | | | | | | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| Rat LD50 | | > 16000 mg/kg | | | | |
| i tat | LDOU | | bw | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|---------------|------------|-------------|--------|
| Rat | LD50 | | 4445 mg/kg bw | | | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 5000 mg/kg bw | | | |

C14-16-18 Alkyl Phenol, cas-no 1190625-94-5

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-----------------|------------|-------------|--------|
| Rat | LD50 | | > 2000 mg/kg bw | | | |

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|---------|
| | | | | | | 10 / 16 |

Revision date: 15/11/2023 Version: 2.5.0



| | | Safe | ety Data Sł | neet | | |
|--------------------|-------------------|--------------------|--------------------|----------------|-------------|--------------------------------------|
| | | | LGHB 2 | | | |
| Replaces date: 21/ | 02/2022 | | | | Revis | ion date: 15/11/202 Version: 2.5. |
| Rabbit | LD50 | | > 4000 mg/kg bw | | OECD 402 | |
| Benzenesulfo | nic acid, mono-C | C16-24-alkyl der | ivs., calcium salt | ts, cas-no 700 | 24-69-0 | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
| Rabbit | LD50 | | > 5000 mg/kg bw | | OECD 402 | |
| Sulfonic acids | s, petroleum, cal | cium salts, cas- | no 61789-86-4 | | | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
| Rabbit | LD50 | | > 4000 mg/kg bw | | | |
| Benzenesulfo | nic acid, C10-13 | -alkyl derivs., ca | lcium salts, cas | -no 1335202-8 | 1-7 | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
| Rat | LD50 | | > 2000 mg/kg bw | | OECD 402 | |
| C14-16-18 Alk | yl Phenol, cas-n | o 1190625-94-5 | | | | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
| Rat | LD50 | | > 2000 mg/kg bw | | | |

Acute toxicity - inhalation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|------------|------------|--------------|--------|
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| | <u>, , , , , , , , , , , , , , , , , , , </u> | , | , | | | |
|----------|---|---------------|------------|------------|--------------|--------|
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type Exposure time | | Value | Conclusion Test method | | Source | |
|----------|-------------------------|-----|------------|------------------------|--------------|--------|--|
| Rat | LC50 (dust/mist) | 4 h | > 1.9 mg/l | | EPA OPP 81-3 | | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| | Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|---|----------|-----------|---------------|-------|------------|-----------------------|--------|
| F | Rabbit | | 4 h | 0.3 | | EPA OPPTS 870.2500 | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|------------|-------------|--------|
| Rabbit | | 4 h | 2.7 | | OECD 404 | |

May irritate the skin - may cause reddening. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Serious eye damage/eye irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Source | | | | | |
|--|-----------|---------------|--------|------------|-------------|--------|--|--|
| Rabbit 0 EPA | | | | | | | | |
| Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7 | | | | | | | | |
| Organism Test Type Exposure time Value Conclusion Test method Source | | | | | | | | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source | | |

Irritating to eyes. Causes a burning sensation and tearing.



LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

Respiratory sensitisation or skin sensitisation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Conclusion | Test method | Source | | |
|---|-----------|---------------|------------|-------------|-------------|--------|--|
| Human Skin sensitisation | | | | | | | |
| Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0 | | | | | | | |
| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source | |
| | | | | | | | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------|-----------|---------------|-------|--------------------|-------------|--------|
| Guinea pig | | | | Skin sensitisation | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------|-----------|---------------|-------|-----------------|-------------|--------|
| Guinea pig | | | | Non-sensitising | | |

According to tests, the product need not be classified. The product contains small amounts of Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, C14-16-18 Alkyl Phenol. Persons with a known allergy may exhibit an allergic response to the product.

Germ cell mutagenicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|------------------|-----------|---------------|-------|--------------------------------|-------------|--------|
| Mammalian cells. | In vivo. | | | No mutagenic effects observed. | OECD 474 | |
| Bacteria | In vitro. | | | No mutagenic effects observed. | OECD 471 | |
| Mammalian cells. | In vitro. | | | No mutagenic effects observed. | OECD 476 | |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|-------|-----------------|-------------|--------|
| Rat | Oral. | | | No indications. | | |

The product contains at least one substance which may impair fertility or the unborn child. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

| Single STOT exposure: | Inhalation of dust may cause irritation to the upper airways. The product does not have to be classified. Test data are not available. |
|----------------------------------|--|
| Repeated STOT exposure: | The product does not have to be classified. Test data are not available. |
| Aspiration hazard: | The product does not have to be classified. Test data are not available. |
| 11.2. Information on other | hazards |
| Endocrine disrupting properties: | None known. |
| Other toxicological effects: | None known. |



LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

SECTION 12: Ecological information

12.1. Toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|--|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchne riella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |
| Algae | Pseudokirchne riella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|--|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchne riella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Algae | Pseudokirchne riella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|--|---------------|-----------|-------------|------------|-------------|--------|
| Algae | Pseudokirchne riella subcapitata | | 72hEC10 | > 1000 mg/l | | OECD 201 | |
| Algae | Pseudokirchne riella subcapitata | | 72hEC50 | > 1000 mg/l | | OECD 201 | |
| Crustacea | Daphnia magna | | 48hEC50 | > 1000 mg/l | | OECD 202 | |
| Fish | Cyprinodon variegatus | | 96hLC50 | > 1000 mg/l | | OECD 203 | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|-----------|--|---------------|-----------|-----------|------------|-------------------------|--------|
| Algae | Pseudokirchne riella subcapitata | | 96hEC50 | 29 mg/l | | STDMETH, ASTM, USEPA | |
| Algae | Pseudokirchne riella subcapitata | | 96hNOEC | 0.5 mg/l | | STDMETH, ASTM, USEPA | |
| Crustacea | Daphnia magna | | 48hEC50 | 2.9 mg/l | | OECD 202 | |
| Fish | Lepomis macrochirus | | 96hLC50 | 1.67 mg/l | | STDMETH, ASTM, USEPA | |



LGHB 2

Replaces date: 21/02/2022

Crustacea

Revision date: 15/11/2023

OFCD 202

| | | | | | | | Version. 2.3.0 | | |
|---------------|---|---------------|-----------|------------|------------|-------------|----------------|--|--|
| Crustacea | Daphnia magna | | 48hNOEC | 0.379 mg/l | | OECD 211 | | | |
| C14-16-18 All | C14-16-18 Alkyl Phenol, cas-no 1190625-94-5 | | | | | | | | |
| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source | | |

> 100 ma/l

The product contains small quantities of environmentally hazardous substances. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Daphnia

magna

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, cas-no 70024-69-0

48hEC50

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Sulfonic acids, petroleum, calcium salts, cas-no 61789-86-4

| OI | rganism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----|---------|------------------|---------------|-----------|-------|----------------------------|-------------|--------|
| | | Activated sludge | 28 d | | 0 % | Not readily biodegradable. | OECD 301 D | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|------------------|---------------|-----------|--------|---------------------------|-------------|--------|
| | Activated sludge | 28 d | | > 90 % | Readily biodegradable. | OECD 301 B | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|----------------|-------------|--------|
| | | | | | Not readily | | |
| | | | | | biodegradable. | | |

The product contains at least one readily biodegradable substance.

12.3. Bioaccumulative potential

| LGHB 2 | | | | | | | |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
| | | | Log Kow | > 3.5 | | | |

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, cas-no 68584-23-6

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | | 22 | | | |
| _ | | | | | | | |

Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts, cas-no 1335202-81-7

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Kow | 2.9 | | | |

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

| Organism | Species | Exposure time | Test Type | Value | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------|------------|-------------|--------|
| | | | Log Kow | 5.1 | | | |
| | | | BCF | 1730 | | | |

No bioaccumulation expected.



LGHB 2

Replaces date: 21/02/2022

12.4. Mobility in soil

Not expected to be mobile in soil. Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 2

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste: EWC code: Depends on line of business and use, for instance 12 01 12* spent waxes and fats

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

SECTION 14: Transport information

| 14.1. UN number or ID number: | Not applicable. |
|-------------------------------|-----------------|
| 14.2. UN proper shipping | Not applicable. |
| name: | |
| 14.3. Transport hazard | Not applicable. |
| class(es): | |

14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

Other Information:

The product is not covered by the rules for transport of dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions:

None.

Revision date: 15/11/2023 Version: 2.5.0



LGHB 2

Replaces date: 21/02/2022

Revision date: 15/11/2023 Version: 2.5.0

15.2. Chemical Safety Assessment

| REACH Reg. No. | Substance name | | |
|------------------|---|--|--|
| 01-2119488992-18 | Sulfonic acids, petroleum, calcium salts | | |
| 01-2119491299-23 | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | | |
| 01-2119492616-28 | Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts | | |
| 01-2119492627-25 | Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts | | |
| 01-2119498288-19 | C14-16-18 Alkyl Phenol | | |
| 01-2119560592-37 | Benzenesulfonic acid, C10-13-alkyl derivs., calcium salts | | |

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes | | | |
|---------------------------------|--|-------------------------|---------------------------|--|--|--|
| 2.5.0 | 15/11/2023 | Bureau Veritas HSE/ SRU | 2,3,4,5,7,8,9,11,12,15,16 | | | |
| Abbreviations: | PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level PNEC: Predicted No Effect Concentration | | | | | |
| Other Information: | This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK REACH etc. (EU Exit) as subsequently changed. | | | | | |
| Training advice: | A thorough knowledge of this safety data sheet should be a prerequisite condition. | | | | | |
| Classification method: | Calculation based on the hazards of the known components. Test data. | | | | | |
| Hazard statements | | | | | | |
| H315 | Causes skin irritation. | | | | | |
| H317 | May cause an allergic skin reaction. | | | | | |
| H318 | Causes serious eye damage. | | | | | |
| H319 | Causes serious eye irritation. | | | | | |
| H361f | Suspected of damaging fertility. | | | | | |
| H373 | May cause damage to organs through prolonged or repeated exposure. | | | | | |
| H412 | Harmful to aquatic life with long lasting effects. | | | | | |
| Supplemental hazard information | | | | | | |
| EUH208 | Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts, Sulfonic acid H208 petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, C1 18 Alkyl Phenol. May produce an allergic reaction. | | | | | |
| Country: GB | | | | | | |